



the toothpaste for people with dental implants

Implaclean® contains the unique Ardox-X® active oxygen technology¹ in combination with Lactoferrine. This new technology is based on the oxygen-dontating-complex. This is an active complex (active oxygen), which is known for its deeper penetration in the natural tissue.

Possible pockets of teeth and implants are kept clean and free of damaging bacteria and gum infections have no chance. The active oxygen assures that plaque formation is prevented, teeth stay white and no deviations in color between the natural teeth and implant constructions occur over time.

The active oxygen is not the active, radical form that is known in hydrogen peroxide, but is present in a safe anionic form. The active oxygen is released when brushing the teeth and it is known to eliminate free radicals, infectious bacteria, viruses, parasites and microbes.

Distributor
Dyna Dental Engineering BV
Bergen op Zoom
The Netherlands
T. +31(0)164-258980

Distributor
Van Straten Medical
Nieuwegein
The Netherlands
T. +31(0)30-6023840

Lactoferrine is a protein, which is present in saliva, tears, mucous and breast milk. In combination with active oxygen it has an antibacterial, antiparasitary and antiviral effect. Dangerous bacteria get no chance of survival in this way and the teeth and implants stay in optimal condition.

Implaclean® contains a neutral pH value and a low level of fluoride. Research^{2,3,4,5,6} confirms that titanium can be damaged by a high concentration of fluoride. These days almost all toothpastes have high levels of fluoride (>1200 ppm F).

Implaclean® however contains a low level of fluoride (+/- 200 ppm F) and is non-abrasive.

Implaclean® is developed by Dyna Dental Engineering BV, Van Straten Medical and Ardoz Research BV with a team of specialists under supervision of Oral and Maxillofacial surgeon Dr. Peter Blijdorp. Because of the above mentioned characteristics Implaclean®, with a content of 100 ml, is a good addition to the existing number of toothpastes available in the market.

Literature

1. Berendsen JLM, el Allati I, Sylva LH, Blijdorp PA, Van Damme PhA, Meijer GJ. Ardox-X® adjunctive topical active oxygen application in periodontitis and peri-implantitis – a pilot study
2. Boere G Academic Centre for Dentistry Amsterdam (ACTA), Department of Dental Materials Science, The Netherlands. Influence of fluoride on titanium in an acidic environment measured by polarization resistance technique. J Appl Biomater. 1995 Winter;6(4):283-8
3. Nakagawa M, Matsuya S, Shiraishi T, Ohta M., Department of Dental Materials Engineering, Faculty of Dentistry, Kyushu University, Fukuoka, Japan. Effect of fluoride concentration and pH on corrosion behavior of titanium for dental use. J Dent Res. 1999 Sep;78(9):1568-72
4. Toumelin-Chemla F, Rouelle F, Burdairon G, Laboratoire de Biomateriaux, Faculté de Chirurgie Dentaire, l'Université Paris V, France Corrosive properties of fluoride-containing odontologic gels against titanium. J Dent. 1996 Jan-Mar;24(1-2):109-15.
5. Ide K, Hattori M, Yoshinari M, Kawada E, Oda Y., Department of Dental Materials Science, Tokyo Dental College, 1-2-2 Masago, Mihama-ku, Chiba, Japan 261-8502. The influence of albumin on corrosion resistance of titanium in fluoride solution. Dent Mater J. 2003 Sep;22(3):359-70.
6. Strietzel R, Hösch A, Kalbfleisch H, Buch D., BEGO, Bremer Goldschlägerei, Bremen, Germany. In vitro corrosion of titanium. Biomaterials. 1998 Aug;19(16):1495-9.



3207-01.01

www.dynadental.com

www.vanstratenmedical.com

design: van der Plas & Lemmens BNO



the toothpaste for people with dental implants

- safe for dental implant constructions
- unique anionic active oxygen technology
- lactoferrine
- low concentration of fluoride
- neutral pH value
- non-abrasive
- scientifically supported



your comfort is our goal!

